


CUSTOMER	<b>ARCHITECTURAL</b> FENCE & RAILINGS	PART NO. —	DIE NO. AH-77359	DASH 1
DESCRIPTION: —		TARRIF# 7604.21.00.00	PROPOSAL# 37506-2	
		DATE	SYM	REVISION



CUSTOMER'S SUPPLIED CAD FILE

UNMARKED RADII = RADIUS TO SUIT  
BREAK CORNERS = 0.016 (0.41) R.

(\* ) = 0.010(0.25) R. X 0.010(0.25)D. HYDRO I.D. MARKS

<b>ARCHITECTURAL</b> FENCE & RAILINGS	UNSPECIFIED WALL THICKNESS
	0.055(1.40) ±0.010(0.25) H
EST. AREA 0.317 IN <sup>2</sup> 205 MM <sup>2</sup>	OUT PER. 5.973 IN 152 MM
EST. WT. 0.380 LBS/FT. 0.566 KG/M	FACTOR 30
EST. PER. 11.539 IN 293 MM	C.C.D. 2.225 IN 57 MM
DWN BY Clint	ALLOY 6063-T5
SCALE 1:1	DATE 12,02,2020
BREAK ALL CORNERS .016"R (0.41 mm)R UNLESS OTHERWISE NOTED.	
STANDARD ALUMINUM ASSOCIATION TOLERANCES TO APPLY UNLESS OTHERWISE SPECIFIED	