


CUSTOMER	<b>ARCHITECTURAL</b> FENCE & RAILINGS	PART NO. —	DIE NO. AH-77360	DASH 1
DESCRIPTION: —		TARRIF# 7604.21.00.00	PROPOSAL# 37506-3A	
		DATE	SYM	REVISION



CUSTOMER'S SUPPLIED CAD FILE

UNMARKED RADII = RADIUS TO SUIT  
BREAK CORNERS = 0.016 (0.41) R.

(\* ) = 0.010(0.25) R. X 0.010(0.25)D. HYDRO I.D. MARKS

<b>ARCHITECTURAL</b> FENCE & RAILINGS	UNSPECIFIED WALL THICKNESS
	0.065(1.65) ±0.010(0.25) H
EST. AREA 0.503 IN <sup>2</sup> 324 MM <sup>2</sup>	OUT PER. 7.973 IN 203 MM
EST. WT. 0.604 LBS/FT. 0.898 KG/M	FACTOR 26
EST. PER. 15.459 IN 393 MM	C.C.D. 3.154 IN 80 MM
DWN BY Vicki	ALLOY 6063-T5
SCALE 1:1	DATE 14,02,2020
BREAK ALL CORNERS .016"R (0.41 mm)R UNLESS OTHERWISE NOTED.	
STANDARD ALUMINUM ASSOCIATION TOLERANCES TO APPLY UNLESS OTHERWISE SPECIFIED	